



# Quickie Ti Titanium FSS NET ORDER FORM/PRICE LIST (SIN F-1)

EIT3, Effective February 1 , 2009

ACCOUNT #: \_\_\_\_\_ SHIP TO: \_\_\_\_\_  
DATE: \_\_\_\_\_ NAME: \_\_\_\_\_  
P.O. #: \_\_\_\_\_ ADDRESS: \_\_\_\_\_  
BUYER: \_\_\_\_\_ CITY/ STATE: \_\_\_\_\_  
MARKED FOR: \_\_\_\_\_ ZIP CODE: \_\_\_\_\_ PHONE NUMBER: \_\_\_\_\_

The HCPCS codes provided are based on code verification by the SADMERC or our interpretation of the code definitions.  
Proper use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

BASE MODEL		
<input type="checkbox"/>	K0005 Quickie TI Titanium	\$1,165.23

SEAT WIDTH		
See measurement A. Measure from outside of seat tube to the outside of opposite seat tube.		
<input type="checkbox"/>	125S4 13"	NC
<input type="checkbox"/>	125S5 14"	NC
<input type="checkbox"/>	125S6 15"	NC
<input type="checkbox"/>	125S7 16"	NC
<input type="checkbox"/>	125S8 17"	NC
<input type="checkbox"/>	125S9 18"	NC


SEAT DEPTH		
See measurement B. Measure from front of the back post to the front edge of the seat upholstery.		
<input type="checkbox"/>	125SD7 14"	NC
<input type="checkbox"/>	125SD8 15"	NC
<input type="checkbox"/>	125SD9 16"	NC
<input type="checkbox"/>	125SD10 17"	NC
<input type="checkbox"/>	125SD11 18"	NC
<input type="checkbox"/>	125SD12 19"	NC

FRONT SEAT HEIGHT		
See Measurement C. Measure from top of seat tube, at beginning of bend, to the		
<input type="checkbox"/>	125SH14 16"	NC
Not available with 5" caster.		
<input type="checkbox"/>	125SH15 16-1/2"	NC
Not available with 5" caster.		
<input type="checkbox"/>	125SH16 17"	NC
<input type="checkbox"/>	125SH17 17-1/2"	NC
<input type="checkbox"/>	125SH18 18"	NC
<input type="checkbox"/>	125SH20 18-1/2"	NC
<input type="checkbox"/>	125SH21 19"	NC
<input type="checkbox"/>	125SH23 19-1/2"	NC
<input type="checkbox"/>	125SH24 20"	NC

REAR SEAT HEIGHT		
See Measurement D. Measure from top of seat tube in the rear of the frame to the		
<input type="checkbox"/>	125RH13 14"	NC
<input type="checkbox"/>	125RH14 14-1/2"	NC
<input type="checkbox"/>	125RH15 15"	NC
<input type="checkbox"/>	125RH16 15-1/2"	NC
<input type="checkbox"/>	125RH17 16"	NC
<input type="checkbox"/>	125RH18 16-1/2"	NC
<input type="checkbox"/>	125RH19 17"	NC
<input type="checkbox"/>	125RH26 17-1/2"	NC
<input type="checkbox"/>	125RH20 18"	NC
<input type="checkbox"/>	125RH27 18-1/2"	NC
<input type="checkbox"/>	125RH21 19"	NC

FRAME ANGLE		
See measurement E. Measure from front frame to floor.		
<input type="checkbox"/>	125FA7 70°	NC
<input type="checkbox"/>	125FA8 80°	NC
<input type="checkbox"/>	125FA2 85°	NC

FRAME INSET		
See measurement F. Measure from the seat width- in from both sides (taper). 0" inset - no taper, 1" inset - 1" taper on both sides, 2" inset - 2" taper on both sides.		
<input type="checkbox"/>	125FF1 0" (footrest width=frame width-2")	NC
<input type="checkbox"/>	125FF2 1" (footrest width=frame width-4")	NC
<input type="checkbox"/>	125FF3 2" (footrest width=frame width-6")	NC
Not available with 13" seat width.		



SEAT TO FLOOR HEIGHT REFERENCE		
Tallest Rear Seat Height=Front Seat Height-1"; Shortest Rear Seat Height=Front Seat Height-3.5". (Minimum of 1" - Maximum of 3.5" front to rear seat angle within the options available.)		

Front Seat Height 5" increments	Rear Seat Height 5" increments	Footrest Adjustability Range (from sling - without cushion)	Footrest Adjustability Range- Long (from sling - without cushion)
C	D	J	J
20"	19"-16.5"	17.25"-14.25"	18.59"-15.59"
19.5"	18.5"-16"	16.75"-13.75"	18.09"-15.09"
19"	18"-15.5"	16.25"-13.25"	17.59"-14.59"
18.5"	17.5"-15"	15.75"-12.75"	17.09"-14.09"
18"	17"-14.5"	15.25"-12.25"	16.59"-13.59"
17.5"	16.5"-14"	14.75"-11.75"	16.09"-13.09"
17"	16"-13.5"	14.25"-11.25"	15.59"-12.59"
16.5"	15.5"-13"	13.75"-11.75"	15.09"-13.09"
16"	15"-12.5"	13.25"-11.25"	14.59"-12.59"

ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: [www.sunrisemedical.com](http://www.sunrisemedical.com)

Specifications are subject to change without notice. Copyright @ 2008, Sunrise Medical. (7.08) Quickie Ti Titanium - Page 1 of 4 931258 Rev. K - VA 2-09

**CUSHION**

<input type="checkbox"/>	125CU1	2" Cushion	\$36.96
<input type="checkbox"/>	125SL6	Omit Seat Sling	-\$5.84

**TITANIUM FIXED HEIGHT BACKREST (ANGLE-ADJUSTABLE)**

Choose either Titanium or Aluminum back type. For Back height see measurement H on page 1. Measure from top of back post to top of seat tube.

<input type="checkbox"/>	125BT42	Titanium Folding	NC
<input type="checkbox"/>	125BT44	Titanium Non-Folding	NC
<b>Back Height</b>			
<input type="checkbox"/>	125BB3	10"	\$68.09
<input type="checkbox"/>	125BB4	11"	\$68.09
<input type="checkbox"/>	125BB5	12"	\$68.09
<input type="checkbox"/>	125BB6	13"	\$68.09
<input type="checkbox"/>	125BB7	14"	\$68.09
<input type="checkbox"/>	125BB8	15"	\$68.09

**ALUMINUM FOLDING HEIGHT BACKREST (ANGLE-ADJUSTABLE)**

Choose either Titanium or Aluminum back type. For Back height see measurement H on page 1. Measure from top of back post to top of seat tube.

<input type="checkbox"/>	125BT1	Aluminum Folding	
<b>Back Height</b>			
<input type="checkbox"/>	125BA1	11" - 14" Back Height	NC
		NA with fold-down push handles	
<input type="checkbox"/>	125BA2	12" - 16" Back Height	NC
<input type="checkbox"/>	125BA3	14" - 18" Back Height	NC
<input type="checkbox"/>	125BA4	16" - 20" Back Height	NC

**BACKREST OPTIONS**

<input type="checkbox"/>	125BU1	Standard Upholstery	NC
<input type="checkbox"/>	125BU8	Adjustable Upholstery	\$150.00
<input type="checkbox"/>	125BU14	Omit Back Upholstery	-\$15.00
<input type="checkbox"/>	125PH5	Fold-Down Push Handles	\$35.02
		NA with 11" - 14" Back Height	
		Available only with Adj. Upholstery or Omit Upholstery.	
<input type="checkbox"/>	125BT33	Integral Push Handles	NC
		Only available with Aluminum Backrest.	
<input type="checkbox"/>	125BU34	E0956 Jay Precision Back Med w/ Laterals	\$122.55
<input type="checkbox"/>	125BU35	E0956 Jay Precision Back Tall w/ Laterals	\$134.23
<input type="checkbox"/>	125BU41	Jay Precision Back Med omit Laterals	\$122.55
<input type="checkbox"/>	125BU42	Jay Precision Back Tall omit Laterals	\$134.23
<input type="checkbox"/>	125KE22	E1028 Lateral Pad Symmetric Swing Away	\$132.28
		Should additionally be billed as E0956.	\$0.00
<input type="checkbox"/>	125KE20	E0956 Lateral Pad Symmetric Swing Away	\$73.92
<input type="checkbox"/>	125KE19	E0956 Lateral Pad Asymmetric	\$73.92
<input type="checkbox"/>	125KE21	E1028 Lateral Pad Asymmetric Swing Away	\$132.28
		Should additionally be billed as E0956.	

**FOOTREST**

Footrest is Preset 2" shorter than front seat height measurement

<input type="checkbox"/>	125F67	Titanium Tubular	NC
<input type="checkbox"/>		Titanium Tubular Long	NC
<input type="checkbox"/>	125F68	Titanium Tubular w/Flat Cover	NC
<input type="checkbox"/>		Titanium Tubular w/Flat Cover Long	NC
<input type="checkbox"/>	125F69	Titanium Tubular w/Flared Cover	\$19.45
		Not available with 0" inset or 5" caster and 1" inset.	
<input type="checkbox"/>		Titanium Tubular w/Flared Cover Long	\$19.45
<input type="checkbox"/>	125F50	Aluminum Platform Footrest	\$21.40

**ADAPTIVE PLATFORM SPACER**

Only available with platform footrest.

<input type="checkbox"/>	125AD1	Adaptive Platform 2" Spacer	\$36.96
<input type="checkbox"/>	125AD2	Adaptive Platform 4" Spacer	\$36.96
<input type="checkbox"/>	125AD3	Adaptive Platform 6" Spacer	\$36.96

**ARMREST**

<input type="checkbox"/>	125AA15	Padded Swing-Away Armrest (9-12")	\$68.09
		Not available with 3/4" or 1" axle spacing.	
<input type="checkbox"/>	125AA2	Padded Swing-Away Armrest Tall(12-16")	\$68.09
		Not available with 3/4" or 1" axle spacing.	
<input type="checkbox"/>	125AA14	Omit Armrest	NC

**CASTERS**

<input type="checkbox"/>	125CW1	3" Micro	NC
<input type="checkbox"/>	125CW30	3" Micro Lighted	\$21.40
<input type="checkbox"/>	125CW3	4" Low Profile Polyurethane	NC
<input type="checkbox"/>	125CW31	4" Micro Lighted	\$21.40
<input type="checkbox"/>	125CW5	5" Low Profile Polyurethane	NC

**REAR AXLE WHEEL SPACING**

See Measurement L on page 1. Measure from inside of wheel to outside of backrest tube.

<input type="checkbox"/>	125AV5	3/4"	NC
		Not available with 0° and 2° camber.	
<input type="checkbox"/>	125AV2	1"	NC
		Not available with 0° camber.	
<input type="checkbox"/>	125AV6	1-1/4"	NC
<input type="checkbox"/>	125AV3	1-1/2"	NC

**REAR WHEEL TYPE**

<input type="checkbox"/>	125RW2	24" Spoke Wheel (540)	NC
		Not available with turbo tread or kevlar tires.	
<input type="checkbox"/>	125RW11	26" Spoke Wheel (590)	\$21.40
		Not available with turbo tread or kevlar tires.	
<input type="checkbox"/>	125RW78	24" Ultra Lightweight Spoke Wheel	\$97.27
<input type="checkbox"/>	125RW80	26" Ultra Lightweight Spoke Wheel	\$97.27
<input type="checkbox"/>	125RW18	26" QP Tennis Wheel (590)	\$103.10
		Available w/ high pressure clincher, pneumatic, & tubular tires.	
<input type="checkbox"/>	125RW20	26" QP Basketball Wheel (590)	\$103.10
		Available w/ high pressure clincher, pneumatic, & tubular tires.	
<input type="checkbox"/>	125RW23	24" QP Heat Ttd Tennis 32H (559)	\$97.27
		Standard with turbo tread tires; latex tubular available at NC.	
		Only available with aluminum handrims.	
<input type="checkbox"/>	125RW21	24" QP Heat Ttd Tennis 36H (559)	\$97.27
		Standard with turbo tread tires; latex tubular available at NC.	
<input type="checkbox"/>	125RW19	24" QP Heat Ttd Basketball (559)	\$97.27
		Standard with turbo tread tires; latex tubular available at NC.	
<input type="checkbox"/>	125RW30	24" Spinergy (540) Yellow Spokes	\$270.40
<input type="checkbox"/>	125RW42	24" Spinergy (540) Black Spokes	\$270.40
<input type="checkbox"/>	125RW43	24" Spinergy (559) Black Spokes	\$270.40
<input type="checkbox"/>	125RW24	26" Spinergy (590) Yellow Spokes	\$270.40
		Only available with high pressure clinchers or pneumatic tires.	
		Only available w/ aluminum or plastic-coated handrims.	
<input type="checkbox"/>	125RW44	26" Spinergy (590) Black Spokes	\$270.40
		Only available with high pressure clinchers or pneumatic tires.	
		Only available w/ aluminum or plastic-coated handrims.	

**ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: [www.sunrisemedical.com](http://www.sunrisemedical.com)**

Specifications are subject to change without notice. Copyright @ 2008, Sunrise Medical. (7.08) Quickie Ti Titanium - Page 2 of 4 931258 Rev. K

**REAR WHEEL TIRE**

<input type="checkbox"/>	125RT1	Pneumatic	NC
<input type="checkbox"/>	125RT2	E2213 Pneumatic Airless Insert	\$27.23
		<i>Only available with 24" (540) wheels.</i>	
		<i>Not available with Quickie Performance wheel options.</i>	
<input type="checkbox"/>	125RT5	Turbo Tread	NC
<input type="checkbox"/>	125RT6	High-Pressure Clincher	\$36.96
<input type="checkbox"/>	125RT7	Latex Tubular	NC
<input type="checkbox"/>	125RT8	Kevlar	\$36.96
		<i>Only available with 24" (540) wheels.</i>	
<input type="checkbox"/>	125RT21	Schwalbe Marathon Plus Evolution	\$36.96
<input type="checkbox"/>	125RT22	Kik Mako Black	\$31.12

**HANDRIM**

<input type="checkbox"/>	125HR1	Aluminum Anodized	NC
<input type="checkbox"/>	125HR4	Plastic Coated	\$35.02
<input type="checkbox"/>	125HR22	Natural Fit Standard Grip	\$114.77
		<i>N/A on HT or Ultralight wheels</i>	
<input type="checkbox"/>	125HR23	Natural Fit Super Grip	\$132.28
		<i>N/A on HT or Ultralight wheels</i>	
<input type="checkbox"/>	125HR7	Omit Handrim	-\$3.89

**CENTER OF GRAVITY PRESET**

See measurement M on page 1. Measured forward of backrest tubes.

Note: Possible interference of front casters with rear wheels.

<input type="checkbox"/>	125CC1	1/2"	NC
		<i>NA with folding backrest or height adj. folding backrest.</i>	
<input type="checkbox"/>	125CC2	1"	NC
		<i>NA with folding backrest or height adj. folding backrest.</i>	
<input type="checkbox"/>	125CC3	1-1/2"	NC
<input type="checkbox"/>	125CC4	2"	NC
<input type="checkbox"/>	125CC5	2-1/2"	NC
<input type="checkbox"/>	125CC6	3"	NC
<input type="checkbox"/>	125CC7	3-1/2"	NC
<input type="checkbox"/>	125CC8	4"	NC
		<i>Note possible interference of front casters w/ rear wheels.</i>	
<input type="checkbox"/>	125CC9	4-1/2"	NC
		<i>Note possible interference of front casters w/ rear wheels.</i>	

**AXLE**

<input type="checkbox"/>	125AX1	Quick Release Steel	NC
<input type="checkbox"/>	125AX5	Quick Release Titanium	\$52.52
		<i>Only available with Quickie Performance wheel options.</i>	
		<i>Not available with Spinergy wheels.</i>	
<input type="checkbox"/>	125AX11	Quad Quick Release	\$35.02
		<i>Not available with Spinergy wheels.</i>	
<input type="checkbox"/>	125AX16	Quad Quick Release Titanium	\$87.54
		<i>Only available with Quickie Performance wheel options.</i>	
		<i>Not available with Spinergy wheels.</i>	

**CAMBER**

<input type="checkbox"/>	125CB1	0°	NC
<input type="checkbox"/>	125CB13	2°	NC
<input type="checkbox"/>	125CB3	4°	NC
<input type="checkbox"/>	125CB5	8°	NC

**WHEEL LOCK**

<input type="checkbox"/>	125WL1	High Mount Push	NC
<input type="checkbox"/>	125WL2	High Mount Pull	NC
<input type="checkbox"/>	125WL29	Ergo Scissor	NC
<input type="checkbox"/>	125WL27	Compact (Scissor)	\$38.91
<input type="checkbox"/>	125WL5	High Mount Scissor	NC
		<i>Not recommended with 14" or 15" seat depths, wheel lock arm does not recess completely under frame.</i>	
<input type="checkbox"/>	125WL24	Unilateral Push Lock Right Mount	\$77.81
<input type="checkbox"/>	125WL23	Unilateral Push Lock Left Mount	\$77.81
<input type="checkbox"/>	125WL10	Omit Wheel Lock	NC
<input type="checkbox"/>	125WL12	Do Not Mount	NC

**REAR ANTI-TIP**

<input type="checkbox"/>	125AT1	E0971 Rear Anti-Tip	\$52.52
<input type="checkbox"/>	125AT3	Omit Rear Anti-Tip	NC

**BACKPACK**

<input type="checkbox"/>	125A1	Black Utility Backpack	Open Market
<input type="checkbox"/>	125A2	Black/Charcoal Kids	Open Market

**SEAT POUCH**

<input type="checkbox"/>	125A8	Black	Open Market
--------------------------	-------	-------	-------------

**SPOKE GUARD**

<input type="checkbox"/>	125A23	K0065 Black	\$35.02
		<i>Not available with Spinergy wheels.</i>	
<input type="checkbox"/>	125A24	K0065 Clear	\$35.02
		<i>Not available with Spinergy wheels.</i>	

**SIDE GUARD**

<input type="checkbox"/>	125SG1	Fabric Regular	\$17.51
		<i>Not available with adjustable upholstery.</i>	
<input type="checkbox"/>	125SG2	Fabric Kids	\$17.51
		<i>Not available with adjustable upholstery.</i>	
<input type="checkbox"/>	125SG3	Plastic Regular	\$46.69
<input type="checkbox"/>	125SG4	Plastic Kids	\$46.69
<input type="checkbox"/>		Aluminum	\$116.72
<input type="checkbox"/>		Aluminum with Fender	\$138.12

**MISCELLANEOUS**

<input type="checkbox"/>	125A85	Bolt-On Push Handles	\$29.18
<input type="checkbox"/>	125A82	Caddy	\$17.51
<input type="checkbox"/>	125A136	Optional Rear Seat Tube Strut	\$25.29

**REAR WHEEL/TIRE AVAILABILITY MATRIX**

TIRE	WHEEL					
	MAG	SPOKE	SPINERGY	ULTRA LIGHT	HEAT TREATED	MOUNTAIN
PNEUMATIC	20,22,24	20,22,24,26	24		24,26	
PNEUMATIC W/ AIRLESS INSERT	20,22,24	20,22,24	24		24	
MOUNTAIN						24
KEVLAR	24	24	24			
LATEX TUBULAR		24,26			24,25	
FULL POLY	20,22,24	20,22,24			24	
HIGH PRESSURE CLINCHER		22,24,26	24,25	22,24,26	24,26	
TURBO TREAD					24,25,26	
SCHWALBE MARATHON		24,25	24,25			
KIK	24,25	22,24,25	24,25			

\*20" and 22" wheels not available on Quickie Ti\*

## Section A

Quickie Ti Titanium Standard Chair Weights

		Width					
		13	14	15	16	17	18
Depth	14	16.38	16.51	16.64	16.77	16.90	17.03
	15	16.51	16.64	16.77	16.90	17.03	17.16
	16	16.64	16.77	16.90	17.03	17.16	17.29
	17	16.77	16.90	17.03	17.16	17.29	17.42
	18	16.90	17.03	17.16	17.29	17.42	17.55
	19	17.03	17.16	17.29	17.42	17.55	17.68

Standard chair weight includes:

Tubular footrest w/o plate  
 Small fork  
 4" casters  
 24" high pressure clinchers  
 Fixed titanium backrest  
 Backrest upholstery  
 Seat sling w/hdwr, seat rails  
 Medium axle plate

## Section B

## Quickie Ti Titanium Component Weights

Components	Weights Lbs		Components (cont.)	Weights Lbs
Standard Chair Weight (refer to section A chart)			<b>Axles (Pair)</b>	
Addition to Standard Weight			Steel	0.000
Subtraction from Standard Weight			Titanium	-0.100
<b>Seating</b>			Omit Axles	-0.500
No Cushion	0.000		Quad QR Axle Titanium	0.000
2" Cushion	1.261		Quad QR Axle Steel	0.150
Omit Seat Sling	-0.395		<b>Handrims (Pair)</b>	
<b>Back Type</b>			24" Aluminum Handrim Anodized	0.000
Titanium Non-ht folding	0.000		26" Aluminum Handrim Anodized	0.100
Titanium folding	0.123		24" Plastic Coat Handrim	1.100
Alum Ht Adj Back	0.817		26" Plastic Coat Handrim	1.350
<b>Push-Handles (Pair)</b>			Omit Handrims	-2.050
Bolt-On Push-Handles (Pair)	1.532		<b>Wheel Locks (Pair)</b>	
Fixed Height Fold-Down Push-Handles	1.685		High Mount Push Wheel Locks	0.640
Ht.-Adjustable Fold-Down Push-Handles	1.685		High Mount Pull Wheel Locks	0.640
Integral Push-Handles	0.750		High Mount Scissors	0.680
<b>Back Upholstery</b>			<b>Wheel Lock Clamps (Pair)</b>	
Standard Back Upholstery	0.000		Short Clamp	0.280
Adjustable Back Upholstery	1.350		Long Clamp	0.600
Omit Back Upholstery	-0.87		<b>Rear Wheels (Pair) w/Aluminum Handrim</b>	
<b>Armrest (Pair)</b>			24" QP Basketball	-0.050
Armrest	2.600		24" QP Heat Treated Basketball	-0.050
<b>Footrest</b>			24" QP Heat Treated Tennis (32h)	-0.230
Tubular with leg strap	0.000		24" QP Heat Treated Tennis (36h)	-0.200
Platform Footrest (12w)	1.075		24" QP Tennis	-0.050
Flared (12W)	0.211		24" Spinerger (540)	-0.750
Flat Cover (12W)	0.114		24" Spinerger (559)	-0.550
Omit Leg Strap	-0.145		24" Spoke	0.000
<b>Adaptive Platform Spacers (Pair)</b>			26" QP Heat Treated Tennis (36h)	1.350
2" Spacer	0.162		26" QP Tennis (36h)	1.350
4" Spacer	0.344		26" QP Basketball	1.450
6" Spacer	0.508		26" QP Heat Treated Basketball	1.450
<b>Caster Wheels (Pair)</b>			26" Spoke Wheel	0.450
3" Micro	-0.04		26" Spinerger (590)	-0.190
3" Micro Lighted	-0.04		<b>Accessories</b>	
4" Composite	0.000		BackPack Adult	0.450
4" Micro Lighted	0.330		BackPack Kids	0.250
5" Composite	0.340		Seat Pouch	0.200
5" Soft Roll Tire	1.410		Spoke Guard	1.700
<b>Axle Plates (Pair)</b>			Rear Anti-Tips (Pair)	0.944
Small (14" - 15" rear seat height)	-0.318		Caddy	0.500
Medium (16" - 17" rear seat height)	0.000		<b>Side Guards (Pair)</b>	
Large (18" - 19" rear seat height)	0.140		Fabric Side Guard Kids	0.200
Total Weights(total weights from above)			Fabric Side Guard Regular	0.250
To determine chair weight, add weights from section A and B			Plastic Side Guard Regular	1.840
Please note: that the following weights			Plastic Side Guard Kids	1.550
are approximations only. There can be			Total Weights(total weights from above)	
a variance of +/- .5lbs.				Total Weights

ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: [www.sunrisemedical.com](http://www.sunrisemedical.com)

Specifications are subject to change without notice. Copyright © 2008, Sunrise Medical. (7.08) Quickie Ti Titanium - Page 4 of 4 931258 Rev. K